December 15, 2006

Case No.: NL 021261 (7790/449)

Serial No.: 10/537,888

Filed: June 7, 2005 Page 2 of 9

## **CLAIM LISTING**

A listing of an entire set of claims 1-12 is submitted herewith per 37 C.F.R. §1.121. This listing of claims 1-12 will replace all prior versions, and listings, of claims in the application.

1. (Previously Presented) An activity monitor comprising:

a measurement unit including a plurality of motion sensors, operable to produce respective sensor signals indicative of motion experienced thereby; and

a processor for receiving the sensor signals from the measurement unit and operable to process the signals in accordance with a predetermined method,

characterized in that the measurement unit has a single output channel and is operable to output the sensor signals in turn on the output channel, and

characterized in that the measurement unit and the processor are both attached to an object being monitored by the activity monitor.

- 2. (Original) An activity monitor as claimed in claim 1, wherein the motion sensors are accelerometers.
- 3. (Previously Presented) An activity monitor as claimed in claim 1, wherein the motion sensors are arranged to be mutually orthogonal.
- 4. (Previously Presented) An activity monitor as claimed in claim 2 or 3, wherein the processor is operable to sample the output channel of the measurement unit discontinuously in time.
- 5. (Previously Presented) An activity monitor as claimed in claim 1, wherein the measurement unit is operable to operate the output channel discontinuously in time during output of each motion sensor output signal.

December 15, 2006

Case No.: NL 021261 (7790/449)

Serial No.: 10/537,888

Filed: June 7, 2005

Page 3 of 9

6. (Previously Presented) A method of monitoring activity of an object using a plurality of

motion sensors which are operable to produce respective sensor signals indicative of motion

experienced thereby, the method comprising receiving the sensor signals and processing the

signals in accordance with a predetermined method, characterized in that the sensor signals are

monitored in turn via a single channel at the object being monitored.

7. (Original) A method as claimed in claim 6, wherein the output of the single channel is

monitored discontinuously in time.

8. (Original) A method as claimed in claim 6, wherein the sensor signals are produced

discontinuously in time.

9. (Previously Presented) An activity monitor comprising:

a measurement unit including a plurality of motion sensors, operable to produce

respective sensor signals indicative of motion experienced thereby; and

a processor for receiving the sensor signals from the measurement unit and operable to

process the signals in accordance with a predetermined method,

characterized in that the measurement unit has a single output channel and is operable to

output the sensor signals in turn on the output channel, and

characterized in that processor is operable to sample the output channel of the

measurement unit discontinuously in time.

10. (Previously Presented) An activity monitor as claimed in claim 9, wherein the motion

sensors are accelerometers.

11. (Previously Presented) An activity monitor as claimed in claim 9, wherein the motion

sensors are arranged to be mutually orthogonal.

December 15, 2006

Case No.: NL 021261 (7790/449)

Serial No.: 10/537,888 Filed: June 7, 2005

Page 4 of 9

12. (Previously Presented) An activity monitor as claimed in claim 9, wherein the measurement unit is operable to operate the output channel discontinuously in time during output of each motion sensor output signal.